

MICRO FLO COMPANY

REGISTRATION FOR SPECIAL LOCAL NEED FOR DISTRIBUTION AND USE ONLY WITHIN THE STATE OF MICHIGAN

CAPTAN 50 WETTABLE POWDER
EPA Reg. No. 51036-166

EPA SLN No. MI-000003
Expiration Date: September 15, 2010

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Do not apply this product through any type of irrigation system.

RASPBERRIES, BLACKBERRIES

For the control of Anthrachnose, Botrytis, and Spur Blight - Apply 4 pounds of CAPTAN 50WP per acre when blossoms are in bud (young canes are 8 - 10" long). Make second application two weeks later. Apply a fall spray after old canes are removed.

For the control of Fruit rot - Apply 4 pounds of CAPTAN 50WP per acre at early bloom (5 to 10% bloom) and again at full bloom. Additional applications can be made at 10-14 day intervals as needed. Do not apply within 3 days of harvest.

Apply CAPTAN 50WP as indicated above in 45-100 gallons of water per acre. Use the higher volume as foliage increases.

Do not apply more than 20 pounds of CAPTAN 50WP per acre per season.

Restricted Entry Level (REI) is 72 hours.

All applicable directions, restrictions and precautions on the EPA registered label are to be followed.

This labeling must be in the possession of the user at the time of pesticide application.

24(c) Registrant: Micro Flo Co.
P.O. Box 772099
Memphis, TN 38117